ELSEVIER

Journal of Organometallic Chemistry 507 (1996) 297–298

Journal of Organometallic Chemistry

Author Index of Volume 507

Acquotti, D., 157
Ahlgrèn, M., 147
Albinati, A., 85

Begley, M.J., 263
Bhambri, S., 291
Boháč, A., 23
Brendler, E., 221
Buey, J., 137
Buncel, E., 81

Cambie, R.C., 1
Catellani, M., 157
Cho, C.S., 197
Cifuentes, M.P., 163
Clark, G.R., 1
Cloke, F.G.N., 245
Cook, J., 47
Coombe, S.L., 1
Coulson, S.A., 1

Davison, A., 47
De Bruijn, J.N.H., 69
Demtschuk, J., 287
Desponds, O., 257
Dowling, C., 281
Drovetskaia, T.V., 201

Ellis, J.E., 283
Ephritikhine, M., 229
Erabi, T., 53
Espinet, P., 137

Fagnola, M.C., 157
Fehér, M., 279
Fey, O., 117, 239
Fischer, H., 125
Flower, K.R., 275
Forster, G.E., 263

Gardiner, M.G., 245
Gill, W.R., 249
Gordon, R.D., 81

Hayase, S., 53
Hayashi, S., 53
Herbertson, P.L., 249
Herzog, U., 221
Hidai, M., 179
Hitchcock, P.B., 275

Elsevier Science S.A.

Hosomizu, M., 179
Hossain, Md.M., 187
Hrnčiar, P., 23
Humphrey, M.G., 163
Hutta, M., 23

Jang, M., 283

Kakkonen, H.J., 147
Kamer, P.C.J., 69
Karthikeyan, S., 65
Kégl, T., 75
Khalid, A., 65
Khandelwal, B.L., 65
Kiefer, W., 117
Kollár, L., 75
Kubota, Y., 179
Kuzmann, E., 75

Lance, M., 229
Leonova, T.V., 201
Lettrichová, M., 23
Leverd, P.C., 229
Lin, J., 31
Lin, Y., 41
Lisac, S., 215
Lorberth, J., 201

MacBride, J.A.H., 249
Main, L., 103
Malisch, W., 117, 239
Manning, A.R., 281
Marmiroli, B., 157
Massa, W., 201
Mathur, P., 187
Miller, G.J., 31
Miyake, S.-I., 53
Mizobe, Y., 179
Möller, S., 117, 239

Nesper, R., 85
Nicholson, B.K., 103
Nierlich, M., 229
Nishibayashi, Y., 197
Nobuki, S.-I., 53

Ohba, H., 53

Pakkanen, T.A., 147
Parkinson, C.J., 207
Pasinszki, T., 279
Pebler, J., 201
Petrosyan, V.S., 201
Pikl, R., 117
Posset, U., 117
Pregosin, P., 85
Püntener, K., 85
Pursiainen, J., 147

Qian, C., 41

Rapić, V., 215
Raston, C.L., 245
Rheingold, A.L., 187
Richter, R., 221
Roewer, G., 221
Roobeek, K.F., 69
Rosenthal, E.C.E., 287
Roth, G., 125
Rutledge, P.S., 1

Schlosser, M., 257
Schumann, H., 287
Seelbach, W., 239
Simpson, S.J., 245
Singh, A.K., 65
Singh, T.P., 65
Skelton, B.W., 163
Sowerby, D.B., 263
Stoermer, M.J., 207
Szalontai, G., 75

Tocher, D.A., 291
Tully, W., 103

Uemura, S., 197

Van Leeuwen, P.W.N.M., 69
Van Rooy, A., 69
Venkatachalam, T.K., 81
Vértes, A., 75
Veszprémi, T., 279
Vigner, J., 229

Wada, M., 53
Wade, K., 249
Weimann, R., 287
Wekel, H.-U., 117
White, A.H., 163

Winterfeld, J., 287
Wocadlo, S., 201
Woodgate, P.D., 1
Wörle, M., 85

Xing, Y., 41

Yashina, N.S., 201
Yoon, M., 31
Young, Jr., V.G., 31
Yuen, P., 283

Zhu, C., 41

ELSEVIER

Journal of Organometallic Chemistry 507 (1996) 299–305

Journal of Organometallic Chemistry

Subject Index of Volume 507

Aldol condensation
Palladium(II) complexes of chiral tridentate nitrogen pybox ligands (R. Nesper, P. Pregosin, K. Püntener, M. Wörle and A. Albinati), 85

Alkene
Palladium-catalyzed cross-coupling reactions between organic tellurides and alkenes (Y. Nishibayashi, C.S. Cho and S. Uemura), 197

Alkenes
Rhodium-catalysed hydroformylation of branched 1-alkenes; bulky phosphite vs. triphenylphosphine as modifying ligand (A. Van Rooy, J.N.H. De Bruijn, K.F. Roobeek, P.C.J. Kamer and P.W.N.M. Van Leeuwen), 69

Alkenyl(hydroxylamino)carbene complexes
Allenyliden-Komplexe als Synthone zur Darstellung von Hydroxylaminocarben- und Isoxazolidinyliden-Komplexen (G. Roth und H. Fischer), 125

Alkoxide, Amine
Reactions of tris(2,6-dimethoxyphenyl)arsine, tris(2,6-dimethoxyphenyl)stibine and tris(2,6-dimethoxyphenyl)bismuthine and their derivatives (M. Wada, S.-I. Miyake, S. Hayashi, H. Ohba, S.-I. Nobuki, S. Hayase and T. Erabi), 53

Alkyne
Chemistry of alkylaromatic metallacycles. Regiochemistry of C–C coupling in ring opening or enlargement reactions of a palladacycle with alkynes (M. Catellani, B. Marmiroli, M.C. Fagnola and D. Acquotti), 157
Diacetylene-bridged clusters: Synthesis and Characterization of $(CO)_6Fe_2Se_2\{\mu\text{-}HC{=}C(C{\equiv}CR)\}$, $\{(CO)_6Fe_2Se_2\}_2\{\mu\text{-}HC{-}C(C{\equiv}CR)\}$ (R=Me on *n*-Bu) and $(CO)_6Fe_2Se_2(\mu\text{-}HC{=}CC{-}CCH_3)Os_3(CO)_{10}$ (P. Mathur, Md.M. Hossain and A.L. Rheingold), 187
Preparation of η^5-pyranyltricarbonylmanganese complexes and pyrylium triiodide salts from cyclomanganated chalcones and alkynes (W. Tully, L. Main and B.K. Nicholson), 103

Allenylidene complexes
Allenyliden-Komplexe als Synthone zur Darstellung von Hydroxylaminocarben- und Isoxazolidinyliden-Komplexen (G. Roth und H. Fischer), 125

Aminoarenes
Towards the synthesis of aminodibenzo[*b*,*e*][1,4]dioxin derivatives via cationic ruthenium complexes (R.C. Cambie, G.R. Clark, S.L. Coombe, S.A. Coulson, P.S. Rutledge and P.D. Woodgate), 1

Anions
Carbanion mechanisms. XX. Is there charge delocalization in phenyl-substituted Group 4 anions? Evidence from electronic absorption spectroscopy (E. Buncel, R.D. Gordon and T.K. Venkatachalam), 81

Antimony
Reactions of tris(2,6-dimethoxyphenyl)arsine, tris(2,6-dimethoxyphenyl)stibine and tris(2,6-dimethoxyphenyl)bismuthine and their derivatives (M. Wada, S.-I. Miyake, S. Hayashi, H. Ohba, S.-I. Nobuki, S. Hayase and T. Erabi), 53
Tri- and di-arylantimony(V) thiocyanates and mixed halide thiocyanates; crystal structure of triphenylantimony(V) di-isothiocyanate (G.E. Forster, M.J. Begley and D.B. Sowerby), 263

Arene
Cyclohexadienyl derivatives of (η^6-arene)(hydrido*tris*(pyrazolyl)borato)ruthenium(II) compounds (S. Bhambri and D.A. Tocher), 291

Arene complexes
Synthesis, structure and bonding in $Nb_2(\eta^6\text{-mesitylene})_2(\mu\text{-I})_4$ and a new intermediate-valent dinuclear niobium complex, $[Nb_2(\eta^6\text{-mesitylene})_2(\mu\text{-I})_4]I$ (M. Yoon, J. Lin, V.G. Young, Jr. and G.J. Miller), 31

Arsenic
Reactions of tris(2,6-dimethoxyphenyl)arsine, tris(2,6-dimethoxyphenyl)stibine and tris(2,6-dimethoxyphenyl)bismuthine and their derivatives (M. Wada, S.-I. Miyake, S. Hayashi, H. Ohba, S.-I. Nobuki, S. Hayase and T. Erabi), 53

Base catalysis
Methylchlorooligosilanes as products of the basecatalysed disproportionation of various methylchlorodisilanes (U. Herzog, R. Richter, E. Brendler and G. Roewer), 221

Bidentate phosphine
Novel diphosphine platinum cations: NMR and Mössbauer spectra and catalytic studies (T. Kégl, L. Kollár, G. Szalontai, E. Kuzmann and A. Vértes), 75

Bis(aryltelluro) methane
Novel synthesis of bis(4-methoxyphenyltelluro)methane and its complexation with Pd(II) and Pt(II): crystal structure of $[Pd\{(4\text{-}CH_3OC_6H_4Te)_2CH_2\}Cl_2]^-$ a chelate with short interdonor linkage (B.L. Khandelwal, A. Khalid, A.K. Singh, T.P. Singh and S. Karthikeyan), 65

2,2′-Bis(diphenylphosphino)biphenyl
2,2′-Bis(diphenylphosphino)biphenyl revisited (O. Desponds and M. Schlosser), 257

Bismuth
Reactions of tris(2,6-dimethoxyphenyl)arsine, tris(2,6-dimethoxyphenyl)stibine and tris(2,6-dimethoxyphenyl)bismuthine and their derivatives (M. Wada, S.-I. Miyake, S. Hayashi, H. Ohba, S.-I. Nobuki, S. Hayase and T. Erabi), 53

Boron
^1H NMR evidence for the formation of vinyllead triacetates. The reactions of vinylmercury, vinyltin, and vinylboronic acids with lead tetraacetate (C.J. Parkinson and M.J. Stoermer), 207

Boronic acid
^1H NMR evidence for the formation of vinyllead triacetates. The reactions of vinylmercury, vinyltin, and vinylboronic acids with lead tetraacetate (C.J. Parkinson and M.J. Stoermer), 207

Elsevier Science S.A.

Butadiene
Bis{1,4-bis(trimethylsilyl)buta-1,3-diene}cobalt: synthesis and molecular structure (F.G.N. Cloke, M.G. Gardiner, C.L. Raston and S.J. Simpson), 245

Carbonyl
Diacetylene-bridged clusters: Synthesis and Characterization of $(CO)_6Fe_2Se_2\{\mu\text{-}HC{=}C(C{\equiv}CR)\}$, $\{(CO)_6Fe_2Se_2\}_2\{\mu\text{-}HC{-}C(C{\equiv}CR)\}$ (R=Me on *n*-Bu) and $(CO)_6Fe_2Se_2(\mu\text{-}HC{=}CC{-}CCH_3)Os_3(CO)_{10}$ (P. Mathur, Md.M. Hossain and A.L. Rheingold), 187
High nuclearity ruthenium carbonyl cluster chemistry. III. Synthesis of $[Ru_{10}(\mu\text{-}H)(\mu_6\text{-}C)(CO)_{24}]^-$, its reactivity towards triphenylphosphine and ligand dynamics of the resulting decaruthenium anionic clusters (M.P. Cifuentes, M.G. Humphrey, B.W. Skelton and A.H. White), 163
Reactions of tridentate phosphine ligand $[HC(PPh_2)_3]$ with metal carbonyl clusters $HRuCo_3(CO)_{12}$ and $H_3Ru_3Co(CO)_{12}$: synthesis and crystal structures of $HRuCo_3(CO)_9[HC(PPh_2)_3]$ and $H_3Ru_3Co(CO)_9[HC(PPh_2)_3]\cdot 1/2C_6H_{14}$ (H.J. Kakkonen, M. Ahlgrèn, J. Pursiainen and T.A. Pakkanen), 147
Carbonyl complex
New classes of zerovalent zirconium carbonyls and related species. Structural characterizations of $[Zr(CO)_5(SnMe_3)_2]^{2-}$ and $[Zr(CO)_4(dppe)SnMe_3]^-$, dppe = $Ph_2PCH_2CH_2PPh_2$ (J.E. Ellis, P. Yuen and M. Jang), 283
Carboranes
Preparation of C-2-pyridyl derivatives of icosahedral carboranes via copper(I) intermediates (W.R. Gill, P.L. Herbertson, J.A.H. MacBride and K. Wade), 249
Catalysis
Novel diphosphine platinum cations: NMR and Mössbauer spectra and catalytic studies (T. Kégl, L. Kollár, G. Szalontai, E. Kuzmann and A. Vértes), 75
Palladium-catalyzed cross-coupling reactions between organic tellurides and alkenes (Y. Nishibayashi, C.S. Cho and S. Uemura), 197
Cations
Novel diphosphine platinum cations: NMR and Mössbauer spectra and catalytic studies (T. Kégl, L. Kollár, G. Szalontai, E. Kuzmann and A. Vértes), 75
CD spectra
Cyclic β-diketones — precursors of chiral 1,3-cyclohexadiene iron carbonyl complexes. Ligand exchange — (−)-PPh_2(O–HC*(Me)–COOEt) — new, chiral, diastereomer-separating ligand in organoiron chemistry (A. Boháč, M. Lettrichová, P. Hrnčiar and M. Hutta), 23
Chelation
Novel synthesis of bis(4-methoxyphenyltelluro)methane and its complexation with Pd(II) and Pt(II): crystal structure of $[Pd\{(4\text{-}CH_3OC_6H_4Te)_2CH_2\}Cl_2]^-$ a chelate with short interdonor linkage (B.L. Khandelwal, A. Khalid, A.K. Singh, T.P. Singh and S. Karthikeyan), 65
Chirality
Cyclic β-diketones — precursors of chiral 1,3-cyclohexadiene iron carbonyl complexes. Ligand exchange — (−)-PPh_2(O–HC*(Me)–COOEt) — new, chiral, diastereomer-separating ligand in organoiron chemistry (A. Boháč, M. Lettrichová, P. Hrnčiar and M. Hutta), 23
Chiral ligand
Cyclic β-diketones — precursors of chiral 1,3-cyclohexadiene iron carbonyl complexes. Ligand exchange — (−)-PPh_2(O–HC*(Me)–COOEt) — new, chiral, diastereomer-separating ligand in organoiron chemistry (A. Boháč, M. Lettrichová, P. Hrnčiar and M. Hutta), 23
Chromium
Crystal and molecular structure of chromocene $(\eta^5\text{-}C_5H_5)_2Cr$ (K.R. Flower and P.B. Hitchcock), 275
Chromocene
Crystal and molecular structure of chromocene $(\eta^5\text{-}C_5H_5)_2Cr$ (K.R. Flower and P.B. Hitchcock), 275
Cluster
Reactions of tridentate phosphine ligand $[HC(PPh_2)_3]$ with metal carbonyl clusters $HRuCo_3(CO)_{12}$ and $H_3Ru_3Co(CO)_{12}$: synthesis and crystal structures of $HRuCo_3(CO)_9[HC(PPh_2)_3]$ and $H_3Ru_3Co(CO)_9[HC(PPh_2)_3]\cdot 1/2C_6H_{14}$ (H.J. Kakkonen, M. Ahlgrèn, J. Pursiainen and T.A. Pakkanen), 147
Clusters
Diacetylene-bridged clusters: Synthesis and Characterization of $(CO)_6Fe_2Se_2\{\mu\text{-}HC{=}C(C{\equiv}CR)\}$, $\{(CO)_6Fe_2Se_2\}_2\{\mu\text{-}HC{-}C(C{\equiv}CR)\}$ (R=Me on *n*-Bu) and $(CO)_6Fe_2Se_2(\mu\text{-}HC{=}CC{-}CCH_3)Os_3(CO)_{10}$ (P. Mathur, Md.M. Hossain and A.L. Rheingold), 187
High nuclearity ruthenium carbonyl cluster chemistry. III. Synthesis of $[Ru_{10}(\mu\text{-}H)(\mu_6\text{-}C)(CO)_{24}]^-$, its reactivity towards triphenylphosphine and ligand dynamics of the resulting decaruthenium anionic clusters (M.P. Cifuentes, M.G. Humphrey, B.W. Skelton and A.H. White), 163
Cobalt
Bis{1,4-bis(trimethylsilyl)buta-1,3-diene}cobalt: synthesis and molecular structure (F.G.N. Cloke, M.G. Gardiner, C.L. Raston and S.J. Simpson), 245
Reactions of tridentate phosphine ligand $[HC(PPh_2)_3]$ with metal carbonyl clusters $HRuCo_3(CO)_{12}$ and $H_3Ru_3Co(CO)_{12}$: synthesis and crystal structures of $HRuCo_3(CO)_9[HC(PPh_2)_3]$ and $H_3Ru_3Co(CO)_9[HC(PPh_2)_3]\cdot 1/2C_6H_{14}$ (H.J. Kakkonen, M. Ahlgrèn, J. Pursiainen and T.A. Pakkanen), 147
Copper
Preparation of C-2-pyridyl derivatives of icosahedral carboranes via copper(I) intermediates (W.R. Gill, P.L. Herbertson, J.A.H. MacBride and K. Wade), 249
Crystal structure
Bis{1,4-bis(trimethylsilyl)buta-1,3-diene}cobalt: synthesis and molecular structure (F.G.N. Cloke, M.G. Gardiner, C.L. Raston and S.J. Simpson), 245
Crystal and molecular structure of chromocene $(\eta^5\text{-}C_5H_5)_2Cr$ (K.R. Flower and P.B. Hitchcock), 275
Cyclohexadienyl derivatives of (η^6-arene)(hydrido*tris*(pyrazolyl)-borato)ruthenium(II) compounds (S. Bhambri and D.A. Tocher), 291
Diacetylene-bridged clusters: Synthesis and Characterization of $(CO)_6Fe_2Se_2\{\mu\text{-}HC{=}C(C{\equiv}CR)\}$, $\{(CO)_6Fe_2Se_2\}_2\{\mu\text{-}HC{-}C(C{\equiv}CR)\}$ (R=Me on *n*-Bu) and $(CO)_6Fe_2Se_2(\mu\text{-}HC{=}CC{-}CCH_3)Os_3(CO)_{10}$ (P. Mathur, Md.M. Hossain and A.L. Rheingold), 187
High nuclearity ruthenium carbonyl cluster chemistry. III. Synthesis of $[Ru_{10}(\mu\text{-}H)(\mu_6\text{-}C)(CO)_{24}]^-$, its reactivity towards triphenylphosphine and ligand dynamics of the resulting decaruthenium anionic clusters (M.P. Cifuentes, M.G. Humphrey, B.W. Skelton and A.H. White), 163
Novel synthesis of bis(4-methoxyphenyltelluro)methane and its complexation with Pd(II) and Pt(II): crystal structure of $[Pd\{(4\text{-}CH_3OC_6H_4Te)_2CH_2\}Cl_2]^-$ a chelate with short interdonor linkage (B.L. Khandelwal, A. Khalid, A.K. Singh, T.P. Singh and S. Karthikeyan), 65
Preparation of η^5-pyranyltricarbonylmanganese complexes and pyrylium triiodide salts from cyclomanganated chalcones and alkynes (W. Tully, L. Main and B.K. Nicholson), 103
Reactions of tridentate phosphine ligand $[HC(PPh_2)_3]$ with metal carbonyl clusters $HRuCo_3(CO)_{12}$ and $H_3Ru_3Co(CO)_{12}$: synthesis

and crystal structures of $HRuCo_3(CO)_9$ $[HC(PPh_2)_3]$ and $H_3Ru_3Co(CO)_9$ $[HC(PPh_2)_3]\cdot 1/2C_6H_{14}$ (H.J. Kakkonen, M. Ahlgrèn, J. Pursiainen and T.A. Pakkanen), 147

Studies on organolanthanide complexes. LVIII. Syntheses of 1,1'-(3-oxa-pentamethylene)dicyclopentadienyl divalent organolanthanides (Ln = Sm, Yb) and X-ray molecular structure of $O(CH_2CH_2C_5H_4)_2Yb(DME)$ (C. Qian, C. Zhu, Y. Lin and Y. Xing), 41

Synthese und Reaktivität von Silicium-Übergangsmetallkomplexen. XXIX. Trihydridosilyl-Komplexe von Eisen und Ruthenium: Ein einfacher Zugang, Ligandaustauschreaktionen am Metall und schwingungsspektroskopische Analyse (W. Malisch, S. Möller, O. Fey, H.-U. Wekel, R. Pikl, U. Posset und W. Kiefer), 117

Synthesis and structures of some diethyl- and diphenyltin bishydroxamates (T.V. Drovetskaia, N.S. Yashina, T.V. Leonova, V.S. Petrosyan, J. Lorberth, S. Wocadlo, W. Massa and J. Pebler), 201

Towards the synthesis of aminodibenzo[*b*,*e*][1,4]dioxin derivatives via cationic ruthenium complexes (R.C. Cambie, G.R. Clark, S.L. Coombe, S.A. Coulson, P.S. Rutledge and P.D. Woodgate), 1

Tri- and di-arylantimony(V) thiocyanates and mixed halide thiocyanates; crystal structure of triphenylantimony(V) di-isothiocyanate (G.E. Forster, M.J. Begley and D.B. Sowerby), 263

Triscyclopentadienyl uranium thiolates and selenolates (P.C. Leverd, M. Ephritikhine, M. Lance, J. Vigner and M. Nierlich), 229

Cyclic β-diketones

Cyclic β-diketones — precursors of chiral 1,3-cyclohexadiene iron carbonyl complexes. Ligand exchange — (−)-PPh_2(O–HC*(Me)–COOEt) — new, chiral, diastereomer-separating ligand in organoiron chemistry (A. Boháč, M. Lettrichová, P. Hrnčiar and M. Hutta), 23

Cyclometallation

Monomeric and dimeric *ortho*-metallated palladium(II)-imine systems as liquid crystals (J. Buey and P. Espinet), 137

Cyclopentadienyl

Studies on organolanthanide complexes. LVIII. Syntheses of 1,1'-(3-oxa-pentamethylene)dicyclopentadienyl divalent organolanthanides (Ln = Sm, Yb) and X-ray molecular structure of $O(CH_2CH_2C_5H_4)_2Yb(DME)$ (C. Qian, C. Zhu, Y. Lin and Y. Xing), 41

Triscyclopentadienyl uranium thiolates and selenolates (P.C. Leverd, M. Ephritikhine, M. Lance, J. Vigner and M. Nierlich), 229

Dibenzodioxin ligands

Towards the synthesis of aminodibenzo[*b*,*e*][1,4]dioxin derivatives via cationic ruthenium complexes (R.C. Cambie, G.R. Clark, S.L. Coombe, S.A. Coulson, P.S. Rutledge and P.D. Woodgate), 1

Dinuclear

Synthesis, structure and bonding in $Nb_2(\eta^6\text{-mesitylene})_2(\mu\text{-I})_4$ and a new intermediate-valent dinuclear niobium complex, $[Nb_2(\eta^6\text{-mesitylene})_2(\mu\text{-I})_4]I$ (M. Yoon, J. Lin, V.G. Young, Jr. and G.J. Miller), 31

Disilanes

Methylchlorooligosilanes as products of the basecatalysed disproportionation of various methylchlorodisilanes (U. Herzog, R. Richter, E. Brendler and G. Roewer), 221

Disproportionation

Methylchlorooligosilanes as products of the basecatalysed disproportionation of various methylchlorodisilanes (U. Herzog, R. Richter, E. Brendler and G. Roewer), 221

Disulfide

Trinuclear heterometallic clusters with bridging disulfide and sulfide ligands $[(\mu_2\text{-}S_2)(Cp^*Ru)_2(\mu_3\text{-}S)(\mu_2\text{-}S)_2MS]$ derived from diruthenium complex $[Cp^*RuCl(\mu_2\text{-}Cl)_2RuCp^*Cl]$ and $[MS_4]^{2-}$ (M = W, Mo; $Cp^* = \eta^5\text{-}C_5Me_5$) (Y. Mizobe, M. Hosomizu, Y. Kubota and M. Hidai), 179

(*S*)-(−)-Ethyl lactate

Cyclic β-diketones — precursors of chiral 1,3-cyclohexadiene iron carbonyl complexes. Ligand exchange — (−)-PPh_2(O–HC*(Me)–COOEt) — new, chiral, diastereomer-separating ligand in organoiron chemistry (A. Boháč, M. Lettrichová, P. Hrnčiar and M. Hutta), 23

Ferrocene

Ferrocene compounds. XXII. Synthesis and reactions of some ferrocenylthiaaliphatic acids (S. Lisac and V. Rapić), 215

Fluxionality

High nuclearity ruthenium carbonyl cluster chemistry. III. Synthesis of $[Ru_{10}(\mu\text{-}H)(\mu_6\text{-}C)(CO)_{24}]^-$, its reactivity towards triphenylphosphine and ligand dynamics of the resulting decaruthenium anionic clusters (M.P. Cifuentes, M.G. Humphrey, B.W. Skelton and A.H. White), 163

Germanium

Carbanion mechanisms. XX. Is there charge delocalization in phenyl-substituted Group 4 anions? Evidence from electronic absorption spectroscopy (E. Buncel, R.D. Gordon and T.K. Venkatachalam), 81

Group 8

Metallo-silanole und Metallo-siloxane. VII. Zur Oxofunktionalisierung von Ruthenio-hydridosilanen mit Dimethyldioxiran: Darstellung der ersten Ruthenio-silanole (S. Möller, O. Fey, W. Malisch und W. Seelbach), 239

Group 14

Metallo-silanole und Metallo-siloxane. VII. Zur Oxofunktionalisierung von Ruthenio-hydridosilanen mit Dimethyldioxiran: Darstellung der ersten Ruthenio-silanole (S. Möller, O. Fey, W. Malisch und W. Seelbach), 239

Group 15

Tri- and di-arylantimony(V) thiocyanates and mixed halide thiocyanates; crystal structure of triphenylantimony(V) di-isothiocyanate (G.E. Forster, M.J. Begley and D.B. Sowerby), 263

Hydrido

Cyclohexadienyl derivatives of (η^6-arene)(hydrido*tris*(pyrazolyl)-borato)ruthenium(II) compounds (S. Bhambri and D.A. Tocher), 291

Hydroformylation

Novel diphosphine platinum cations: NMR and Mössbauer spectra and catalytic studies (T. Kégl, L. Kollár, G. Szalontai, E. Kuzmann and A. Vértes), 75

Rhodium-catalysed hydroformylation of branched 1-alkenes; bulky phosphite vs. triphenylphosphine as modifying ligand (A. Van Rooy, J.N.H. De Bruijn, K.F. Roobeek, P.C.J. Kamer and P.W.N.M. Van Leeuwen), 69

Hydroxamates

Synthesis and structures of some diethyl- and diphenyltin bishydroxamates (T.V. Drovetskaia, N.S. Yashina, T.V. Leonova, V.S. Petrosyan, J. Lorberth, S. Wocadlo, W. Massa and J. Pebler), 201

Hydroxylamines

Allenyliden-Komplexe als Synthone zur Darstellung von Hydroxylaminocarben- und Isoxazolidinyliden-Komplexen (G. Roth und H. Fischer), 125

Imine

Monomeric and dimeric *ortho*-metallated palladium(II)-imine systems as liquid crystals (J. Buey and P. Espinet), 137

Intermediate-valent

Synthesis, structure and bonding in $Nb_2(\eta^6\text{-mesitylene})_2(\mu\text{-I})_4$ and a new intermediate-valent dinuclear niobium complex, $[Nb_2(\eta^6\text{-}$

mesitylene)$_2$(μ-I)$_4$]I (M. Yoon, J. Lin, V.G. Young, Jr. and G.J. Miller), 31

Iron
Diacetylene-bridged clusters: Synthesis and Characterization of $(CO)_6Fe_2Se_2\{\mu$-HC≡C(C≡CR)$\}$, $\{(CO)_6Fe_2Se_2\}_2\{\mu$-HC–C(C≡CR)$\}$ (R=Me on *n*-Bu) and $(CO)_6Fe_2Se_2(\mu$-HC≡CC–$CCH_3)Os_3(CO)_{10}$ (P. Mathur, Md.M. Hossain and A.L. Rheingold), 187
Ferrocene compounds. XXII. Synthesis and reactions of some ferrocenylthiaaliphatic acids (S. Lisac and V. Rapić), 215
Synthese und Reaktivität von Silicium-Übergangsmetallkomplexen. XXIX. Trihydridosilyl-Komplexe von Eisen und Ruthenium: Ein einfacher Zugang, Ligandaustauschreaktionen am Metall und schwingungsspektroskopische Analyse (W. Malisch, S. Möller, O. Fey, H.-U. Wekel, R. Pikl, U. Posset und W. Kiefer), 117
The reaction of $[Fe_2(\eta$-$C_5H_5)_2(CO)(CNMe)(\mu$-$CO)(\mu$-$CNMe_2)]^+$ salts with trifluoromethanesulphonic acid ($HOSO_2CF_3$) (C. Dowling and A.R. Manning), 281

Iron tricarbonyl
Cyclic β-diketones — precursors of chiral 1,3-cyclohexadiene iron carbonyl complexes. Ligand exchange — (−)-PPh_2(O–HC*(Me)–COOEt) — new, chiral, diastereomer-separating ligand in organoiron chemistry (A. Boháč, M. Lettrichová, P. Hrnčiar and M. Hutta), 23

IR spectroscopy
Allenyliden-Komplexe als Synthone zur Darstellung von Hydroxylaminocarben- und Isoxazolidinyliden-Komplexen (G. Roth und H. Fischer), 125
Palladium(II) complexes of chiral tridentate nitrogen pybox ligands (R. Nesper, P. Pregosin, K. Püntener, M. Wörle and A. Albinati), 85
Studies on organolanthanide complexes. LVIII. Syntheses of 1,1'-(3-oxa-pentamethylene)dicyclopentadienyl divalent organolanthanides (Ln = Sm, Yb) and X-ray molecular structure of $O(CH_2CH_2C_5H_4)_2Yb(DME)$ (C. Qian, C. Zhu, Y. Lin and Y. Xing), 41
Tri- and di-arylantimony(V) thiocyanates and mixed halide thiocyanates; crystal structure of triphenylantimony(V) di-isothiocyanate (G.E. Forster, M.J. Begley and D.B. Sowerby), 263

Isocyanate
Reconciling theory and experiment for SiH_3NCO: A comment to a recent article (T. Veszprémi, T. Pasinszki and M. Fehér), 279

Isocyanides
The reaction of $[Fe_2(\eta$-$C_5H_5)_2(CO)(CNMe)(\mu$-$CO)(\mu$-$CNMe_2)]^+$ salts with trifluoromethanesulphonic acid ($HOSO_2CF_3$) (C. Dowling and A.R. Manning), 281

Isonitrile
Palladium(II) complexes of chiral tridentate nitrogen pybox ligands (R. Nesper, P. Pregosin, K. Püntener, M. Wörle and A. Albinati), 85

Isoxazolidinylidene complexes
Allenyliden-Komplexe als Synthone zur Darstellung von Hydroxylaminocarben- und Isoxazolidinyliden-Komplexen (G. Roth und H. Fischer), 125

Lead
^{1}H NMR evidence for the formation of vinyllead triacetates. The reactions of vinylmercury, vinyltin, and vinylboronic acids with lead tetraacetate (C.J. Parkinson and M.J. Stoermer), 207
Carbanion mechanisms. XX. Is there charge delocalization in phenyl-substituted Group 4 anions? Evidence from electronic absorption spectroscopy (E. Buncel, R.D. Gordon and T.K. Venkatachalam), 81

Ligand exchange
Cyclic β-diketones — precursors of chiral 1,3-cyclohexadiene iron carbonyl complexes. Ligand exchange — (−)-PPh_2(O–HC*(Me)–COOEt) — new, chiral, diastereomer-separating ligand in organoiron chemistry (A. Boháč, M. Lettrichová, P. Hrnčiar and M. Hutta), 23

Liquid crystal
Monomeric and dimeric *ortho*-metallated palladium(II)-imine systems as liquid crystals (J. Buey and P. Espinet), 137

Lutetium
Organometallic compounds of the lanthanides. CIII. Mixed sandwich complexes of the 4f elements: synthesis and crystal structure of (η^8-cyclooctatetraenyl)(η^5-2,5-di-tert.-butylpyrrolyl)samarium, -thulium, and -lutetium (H. Schumann, E.C.E. Rosenthal, J. Winterfeld, R. Weimann and J. Demtschuk), 287

Macrocycle
Preparation of C-2-pyridyl derivatives of icosahedral carboranes via copper(I) intermediates (W.R. Gill, P.L. Herbertson, J.A.H. MacBride and K. Wade), 249

Manganese
Preparation of η^5-pyranyltricarbonylmanganese complexes and pyrylium triiodide salts from cyclomanganated chalcones and alkynes (W. Tully, L. Main and B.K. Nicholson), 103

Mass spectrometry
Allenyliden-Komplexe als Synthone zur Darstellung von Hydroxylaminocarben- und Isoxazolidinyliden-Komplexen (G. Roth und H. Fischer), 125
Palladium(II) complexes of chiral tridentate nitrogen pybox ligands (R. Nesper, P. Pregosin, K. Püntener, M. Wörle and A. Albinati), 85
Studies on organolanthanide complexes. LVIII. Syntheses of 1,1'-(3-oxa-pentamethylene)dicyclopentadienyl divalent organolanthanides (Ln = Sm, Yb) and X-ray molecular structure of $O(CH_2CH_2C_5H_4)_2Yb(DME)$ (C. Qian, C. Zhu, Y. Lin and Y. Xing), 41

Mercury
^{1}H NMR evidence for the formation of vinyllead triacetates. The reactions of vinylmercury, vinyltin, and vinylboronic acids with lead tetraacetate (C.J. Parkinson and M.J. Stoermer), 207

Mesitylene
Synthesis, structure and bonding in $Nb_2(\eta^6$-mesitylene)$_2(\mu$-I)$_4$ and a new intermediate-valent dinuclear niobium complex, $[Nb_2(\eta^6$-mesitylene)$_2(\mu$-I)$_4$]I (M. Yoon, J. Lin, V.G. Young, Jr. and G.J. Miller), 31

Mesogenic properties
Monomeric and dimeric *ortho*-metallated palladium(II)-imine systems as liquid crystals (J. Buey and P. Espinet), 137

Metallacycle
Chemistry of alkylaromatic metallacycles. Regiochemistry of C–C coupling in ring opening or enlargement reactions of a palladacycle with alkynes (M. Catellani, B. Marmiroli, M.C. Fagnola and D. Acquotti), 157
Preparation of η^5-pyranyltricarbonylmanganese complexes and pyrylium triiodide salts from cyclomanganated chalcones and alkynes (W. Tully, L. Main and B.K. Nicholson), 103

Metallocenes
Crystal and molecular structure of chromocene $(\eta^5$-$C_5H_5)_2Cr$ (K.R. Flower and P.B. Hitchcock), 275

Metal vapour synthesis
Bis{1,4-bis(trimethylsilyl)buta-1,3-diene}cobalt: synthesis and molecular structure (F.G.N. Cloke, M.G. Gardiner, C.L. Raston and S.J. Simpson), 245

Methylchlorooligosilanes
Methylchlorooligosilanes as products of the basecatalysed disproportionation of various methylchlorodisilanes (U. Herzog, R. Richter, E. Brendler and G. Roewer), 221
Migration
The reaction of $[Fe_2(\eta\text{-}C_5H_5)_2(CO)(CNMe)(\mu\text{-}CO)(\mu\text{-}CNMe_2)]^+$ salts with trifluoromethanesulphonic acid ($HOSO_2CF_3$) (C. Dowling and A.R. Manning), 281
Mixed sandwich complexes
Organometallic compounds of the lanthanides. CIII. Mixed sandwich complexes of the 4f elements: synthesis and crystal structure of (η^8-cyclooctatetraenyl)(η^5-2,5-di-tert.-butylpyrrolyl)samarium, -thulium, and -lutetium (H. Schumann, E.C.E. Rosenthal, J. Winterfeld, R. Weimann and J. Demtschuk), 287
Molybdenum
Trinuclear heterometallic clusters with bridging disulfide and sulfide ligands $[(\mu_2\text{-}S_2)(Cp^*Ru)_2(\mu_3\text{-}S)(\mu_2\text{-}S)_2MS]$ derived from diruthenium complex $[Cp^*RuCl(\mu_2\text{-}Cl)_2RuCp^*Cl]$ and $[MS_4]^{2-}$ (M = W, Mo; $Cp^* = \eta^5\text{-}C_5Me_5$) (Y. Mizobe, M. Hosomizu, Y. Kubota and M. Hidai), 179
Mössbauer spectra
Novel diphosphine platinum cations: NMR and Mössbauer spectra and catalytic studies (T. Kégl, L. Kollár, G. Szalontai, E. Kuzmann and A. Vértes), 75
Mössbauer spectroscopy
Synthesis and structures of some diethyl- and diphenyltin bishydroxamates (T.V. Drovetskaia, N.S. Yashina, T.V. Leonova, V.S. Petrosyan, J. Lorberth, S. Wocadlo, W. Massa and J. Pebler), 201

Niobium
Synthesis, structure and bonding in $Nb_2(\eta^6\text{-mesitylene})_2(\mu\text{-}I)_4$ and a new intermediate-valent dinuclear niobium complex, $[Nb_2(\eta^6\text{-mesitylene})_2(\mu\text{-}I)_4]I$ (M. Yoon, J. Lin, V.G. Young, Jr. and G.J. Miller), 31
NMR spectroscopy
Allenyliden-Komplexe als Synthone zur Darstellung von Hydroxylaminocarben- und Isoxazolidinyliden-Komplexen (G. Roth und H. Fischer), 125
Cyclic β-diketones — precursors of chiral 1,3-cyclohexadiene iron carbonyl complexes. Ligand exchange — (−)-PPh_2(O–HC*(Me)–COOEt) — new, chiral, diastereomer-separating ligand in organoiron chemistry (A. Boháč, M. Lettrichová, P. Hrnčiar and M. Hutta), 23
Palladium(II) complexes of chiral tridentate nitrogen pybox ligands (R. Nesper, P. Pregosin, K. Püntener, M. Wörle and A. Albinati), 85
Tri- and di-arylantimony(V) thiocyanates and mixed halide thiocyanates; crystal structure of triphenylantimony(V) di-isothiocyanate (G.E. Forster, M.J. Begley and D.B. Sowerby), 263
Nuclear magnetic resonance
^1H NMR evidence for the formation of vinyllead triacetates. The reactions of vinylmercury, vinyltin, and vinylboronic acids with lead tetraacetate (C.J. Parkinson and M.J. Stoermer), 207
Nucleophilic substitution
2,2′-Bis(diphenylphosphino)biphenyl revisited (O. Desponds and M. Schlosser), 257

Oligosilane
Methylchlorooligosilanes as products of the basecatalysed disproportionation of various methylchlorodisilanes (U. Herzog, R. Richter, E. Brendler and G. Roewer), 221
Organolithium intermediates
2,2′-Bis(diphenylphosphino)biphenyl revisited (O. Desponds and M. Schlosser), 257
Oxidation
Metallo-silanole und Metallo-siloxane. VII. Zur Oxofunktionalisierung von Ruthenio-hydridosilanen mit Dimethyldioxiran: Darstellung der ersten Ruthenio-silanole (S. Möller, O. Fey, W. Malisch und W. Seelbach), 239

Palladium
Chemistry of alkylaromatic metallacycles. Regiochemistry of C–C coupling in ring opening or enlargement reactions of a palladacycle with alkynes (M. Catellani, B. Marmiroli, M.C. Fagnola and D. Acquotti), 157
Monomeric and dimeric *ortho*-metallated palladium(II)-imine systems as liquid crystals (J. Buey and P. Espinet), 137
Palladium-catalyzed cross-coupling reactions between organic tellurides and alkenes (Y. Nishibayashi, C.S. Cho and S. Uemura), 197
Palladium(II) complexes of chiral tridentate nitrogen pybox ligands (R. Nesper, P. Pregosin, K. Püntener, M. Wörle and A. Albinati), 85
Palladium(II)
Novel synthesis of bis(4-methoxyphenyltelluro)methane and its complexation with Pd(II) and Pt(II): crystal structure of $[Pd\{(4\text{-}CH_3OC_6H_4Te)_2CH_2\}Cl_2]$ a chelate with short interdonor linkage (B.L. Khandelwal, A. Khalid, A.K. Singh, T.P. Singh and S. Karthikeyan), 65
Phosphine
Cyclic β-diketones — precursors of chiral 1,3-cyclohexadiene iron carbonyl complexes. Ligand exchange — (−)-PPh_2(O–HC*(Me)–COOEt) — new, chiral, diastereomer-separating ligand in organoiron chemistry (A. Boháč, M. Lettrichová, P. Hrnčiar and M. Hutta), 23
Synthese und Reaktivität von Silicium-Übergangsmetallkomplexen. XXIX. Trihydridosilyl-Komplexe von Eisen und Ruthenium: Ein einfacher Zugang, Ligandaustauschreaktionen am Metall und schwingungsspektroskopische Analyse (W. Malisch, S. Möller, O. Fey, H.-U. Wekel, R. Pikl, U. Posset und W. Kiefer), 117
Phosphinite
Cyclic β-diketones — precursors of chiral 1,3-cyclohexadiene iron carbonyl complexes. Ligand exchange — (−)-PPh_2(O–HC*(Me)–COOEt) — new, chiral, diastereomer-separating ligand in organoiron chemistry (A. Boháč, M. Lettrichová, P. Hrnčiar and M. Hutta), 23
Phosphite
Cyclic β-diketones — precursors of chiral 1,3-cyclohexadiene iron carbonyl complexes. Ligand exchange — (−)-PPh_2(O–HC*(Me)–COOEt) — new, chiral, diastereomer-separating ligand in organoiron chemistry (A. Boháč, M. Lettrichová, P. Hrnčiar and M. Hutta), 23
Phosphorus
2,2′-Bis(diphenylphosphino)biphenyl revisited (O. Desponds and M. Schlosser), 257
New classes of zerovalent zirconium carbonyls and related species. Structural characterizations of $[Zr(CO)_5(SnMe_3)_2]^{2-}$ and $[Zr(CO)_4(dppe)SnMe_3]^-$, dppe = $Ph_2PCH_2CH_2PPh_2$ (J.E. Ellis, P. Yuen and M. Jang), 283
Reactions of tris(2,6-dimethoxyphenyl)arsine, tris(2,6-dimethoxyphenyl)stibine and tris(2,6-dimethoxyphenyl)bismuthine and their derivatives (M. Wada, S.-I. Miyake, S. Hayashi, H. Ohba, S.-I. Nobuki, S. Hayase and T. Erabi), 53
Platinum
Novel diphosphine platinum cations: NMR and Mössbauer spectra and catalytic studies (T. Kégl, L. Kollár, G. Szalontai, E. Kuzmann and A. Vértes), 75

Platinum(II)
Novel synthesis of bis(4-methoxyphenyltelluro)methane and its complexation with Pd(II) and Pt(II): crystal structure of $[Pd\{(4\text{-}CH_3OC_6H_4Te)_2CH_2\}Cl_2]^-$ a chelate with short interdonor linkage (B.L. Khandelwal, A. Khalid, A.K. Singh, T.P. Singh and S. Karthikeyan), 65
Protonation
The reaction of $[Fe_2(\eta\text{-}C_5H_5)_2(CO)(CNMe)(\mu\text{-}CO)(\mu\text{-}CNMe_2)]^+$ salts with trifluoromethanesulphonic acid ($HOSO_2CF_3$) (C. Dowling and A.R. Manning), 281
Pybox
Palladium(II) complexes of chiral tridentate nitrogen pybox ligands (R. Nesper, P. Pregosin, K. Püntener, M. Wörle and A. Albinati), 85
Pyranyl complexes
Preparation of η^5-pyranyltricarbonylmanganese complexes and pyrylium triiodide salts from cyclomanganated chalcones and alkynes (W. Tully, L. Main and B.K. Nicholson), 103
Pyridyl
Preparation of C-2-pyridyl derivatives of icosahedral carboranes via copper(I) intermediates (W.R. Gill, P.L. Herbertson, J.A.H. MacBride and K. Wade), 249
Pyrylium salt
Preparation of η^5-pyranyltricarbonylmanganese complexes and pyrylium triiodide salts from cyclomanganated chalcones and alkynes (W. Tully, L. Main and B.K. Nicholson), 103

Rhodium
Rhodium-catalysed hydroformylation of branched 1-alkenes; bulky phosphite vs. triphenylphosphine as modifying ligand (A. Van Rooy, J.N.H. De Bruijn, K.F. Roobeek, P.C.J. Kamer and P.W.N.M. Van Leeuwen), 69
Ruthenium
Cyclohexadienyl derivatives of (η^6-arene)(hydrido*tris*(pyrazolyl)-borato)ruthenium(II) compounds (S. Bhambri and D.A. Tocher), 291
High nuclearity ruthenium carbonyl cluster chemistry. III. Synthesis of $[Ru_{10}(\mu\text{-}H)(\mu_6\text{-}C)(CO)_{24}]^-$, its reactivity towards triphenylphosphine and ligand dynamics of the resulting decaruthenium anionic clusters (M.P. Cifuentes, M.G. Humphrey, B.W. Skelton and A.H. White), 163
Reactions of tridentate phosphine ligand $[HC(PPh_2)_3]$ with metal carbonyl clusters $HRuCo_3(CO)_{12}$ and $H_3Ru_3Co(CO)_{12}$: synthesis and crystal structures of $HRuCo_3(CO)_9[HC(PPh_2)_3]$ and $H_3Ru_3Co(CO)_9[HC(PPh_2)_3]\cdot 1/2C_6H_{14}$ (H.J. Kakkonen, M. Ahlgrèn, J. Pursiainen and T.A. Pakkanen), 147
Synthese und Reaktivität von Silicium-Übergangsmetallkomplexen. XXIX. Trihydridosilyl-Komplexe von Eisen und Ruthenium: Ein einfacher Zugang, Ligandaustauschreaktionen am Metall und schwingungsspektroskopische Analyse (W. Malisch, S. Möller, O. Fey, H.-U. Wekel, R. Pikl, U. Posset und W. Kiefer), 117
Towards the synthesis of aminodibenzo[*b*,*e*][1,4]dioxin derivatives via cationic ruthenium complexes (R.C. Cambie, G.R. Clark, S.L. Coombe, S.A. Coulson, P.S. Rutledge and P.D. Woodgate), 1
Trinuclear heterometallic clusters with bridging disulfide and sulfide ligands $[(\mu_2\text{-}S_2)(Cp^*Ru)_2(\mu_3\text{-}S)(\mu_2\text{-}S)_2MS]$ derived from diruthenium complex $[Cp^*RuCl(\mu_2\text{-}Cl)_2RuCp^*Cl]$ and $[MS_4]^{2-}$ (M = W, Mo; $Cp^* = \eta^5\text{-}C_5Me_5$) (Y. Mizobe, M. Hosomizu, Y. Kubota and M. Hidai), 179

Samarium
Organometallic compounds of the lanthanides. CIII. Mixed sandwich complexes of the 4f elements: synthesis and crystal structure of (η^8-cyclooctatetraenyl)(η^5-2,5-di-tert.-butylpyrrolyl)samarium, -thulium, and -lutetium (H. Schumann, E.C.E. Rosenthal, J. Winterfeld, R. Weimann and J. Demtschuk), 287
Studies on organolanthanide complexes. LVIII. Syntheses of 1,1'-(3-oxa-pentamethylene)dicyclopentadienyl divalent organolanthanides (Ln = Sm, Yb) and X-ray molecular structure of $O(CH_2CH_2C_5H_4)_2Yb(DME)$ (C. Qian, C. Zhu, Y. Lin and Y. Xing), 41
Selenolate
Triscyclopentadienyl uranium thiolates and selenolates (P.C. Leverd, M. Ephritikhine, M. Lance, J. Vigner and M. Nierlich), 229
Silane
Synthese und Reaktivität von Silicium-Übergangsmetallkomplexen. XXIX. Trihydridosilyl-Komplexe von Eisen und Ruthenium: Ein einfacher Zugang, Ligandaustauschreaktionen am Metall und schwingungsspektroskopische Analyse (W. Malisch, S. Möller, O. Fey, H.-U. Wekel, R. Pikl, U. Posset und W. Kiefer), 117
Silanes
Metallo-silanole und Metallo-siloxane. VII. Zur Oxofunktionalisierung von Ruthenio-hydridosilanen mit Dimethyldioxiran: Darstellung der ersten Ruthenio-silanole (S. Möller, O. Fey, W. Malisch und W. Seelbach), 239
Silicon
Carbanion mechanisms. XX. Is there charge delocalization in phenyl-substituted Group 4 anions? Evidence from electronic absorption spectroscopy (E. Buncel, R.D. Gordon and T.K. Venkatachalam), 81
Metallo-silanole und Metallo-siloxane. VII. Zur Oxofunktionalisierung von Ruthenio-hydridosilanen mit Dimethyldioxiran: Darstellung der ersten Ruthenio-silanole (S. Möller, O. Fey, W. Malisch und W. Seelbach), 239
Methylchlorooligosilanes as products of the basecatalysed disproportionation of various methylchlorodisilanes (U. Herzog, R. Richter, E. Brendler and G. Roewer), 221
Reconciling theory and experiment for SiH_3NCO: A comment to a recent article (T. Veszprémi, T. Pasinszki and M. Fehér), 279
Silyl
Synthese und Reaktivität von Silicium-Übergangsmetallkomplexen. XXIX. Trihydridosilyl-Komplexe von Eisen und Ruthenium: Ein einfacher Zugang, Ligandaustauschreaktionen am Metall und schwingungsspektroskopische Analyse (W. Malisch, S. Möller, O. Fey, H.-U. Wekel, R. Pikl, U. Posset und W. Kiefer), 117
Sulfide cluster
Trinuclear heterometallic clusters with bridging disulfide and sulfide ligands $[(\mu_2\text{-}S_2)(Cp^*Ru)_2(\mu_3\text{-}S)(\mu_2\text{-}S)_2MS]$ derived from diruthenium complex $[Cp^*RuCl(\mu_2\text{-}Cl)_2RuCp^*Cl]$ and $[MS_4]^{2-}$ (M = W, Mo; $Cp^* = \eta^5\text{-}C_5Me_5$) (Y. Mizobe, M. Hosomizu, Y. Kubota and M. Hidai), 179

Technetium
Nucleophilic attack on coordinated CO in $[Tc(CO)_4(PPh_3)_2]BF_4$ (J. Cook and A. Davison), 47
Tellurium
Novel synthesis of bis(4-methoxyphenyltelluro)methane and its complexation with Pd(II) and Pt(II): crystal structure of $[Pd\{(4\text{-}CH_3OC_6H_4Te)_2CH_2\}Cl_2]^-$ a chelate with short interdonor linkage (B.L. Khandelwal, A. Khalid, A.K. Singh, T.P. Singh and S. Karthikeyan), 65
Palladium-catalyzed cross-coupling reactions between organic tellurides and alkenes (Y. Nishibayashi, C.S. Cho and S. Uemura), 197
Thiocyanate
Tri- and di-arylantimony(V) thiocyanates and mixed halide thiocyanates; crystal structure of triphenylantimony(V) di-isothiocyanate (G.E. Forster, M.J. Begley and D.B. Sowerby), 263

Thiolate
Triscyclopentadienyl uranium thiolates and selenolates (P.C. Leverd, M. Ephritikhine, M. Lance, J. Vigner and M. Nierlich), 229
Thulium
Organometallic compounds of the lanthanides. CIII. Mixed sandwich complexes of the 4f elements: synthesis and crystal structure of (η^8-cyclooctatetraenyl)(η^5-2,5-di-tert.-butylpyrrolyl)samarium, -thulium, and -lutetium (H. Schumann, E.C.E. Rosenthal, J. Winterfeld, R. Weimann and J. Demtschuk), 287
Tin
^{1}H NMR evidence for the formation of vinyllead triacetates. The reactions of vinylmercury, vinyltin, and vinylboronic acids with lead tetraacetate (C.J. Parkinson and M.J. Stoermer), 207
Carbanion mechanisms. XX. Is there charge delocalization in phenyl-substituted Group 4 anions? Evidence from electronic absorption spectroscopy (E. Buncel, R.D. Gordon and T.K. Venkatachalam), 81
New classes of zerovalent zirconium carbonyls and related species. Structural characterizations of $[Zr(CO)_5(SnMe_3)_2]^{2-}$ and $[Zr(CO)_4(dppe)SnMe_3]^-$, dppe = $Ph_2PCH_2CH_2PPh_2$ (J.E. Ellis, P. Yuen and M. Jang), 283
Synthesis and structures of some diethyl- and diphenyltin bishydroxamates (T.V. Drovetskaia, N.S. Yashina, T.V. Leonova, V.S. Petrosyan, J. Lorberth, S. Wocadlo, W. Massa and J. Pebler), 201
Transition metals
Metallo-silanole und Metallo-siloxane. VII. Zur Oxofunktionalisierung von Ruthenio-hydridosilanen mit Dimethyldioxiran: Darstellung der ersten Ruthenio-silanole (S. Möller, O. Fey, W. Malisch und W. Seelbach), 239
Tridentate ligand
Reactions of tridentate phosphine ligand $[HC(PPh_2)_3]$ with metal carbonyl clusters $HRuCo_3(CO)_{12}$ and $H_3Ru_3Co(CO)_{12}$: synthesis and crystal structures of $HRuCo_3(CO)_9[HC(PPh_2)_3]$ and $H_3Ru_3Co(CO)_9[HC(PPh_2)_3]\cdot 1/2C_6H_{14}$ (H.J. Kakkonen, M. Ahlgrèn, J. Pursiainen and T.A. Pakkanen), 147
Tris(pyrazolyl)borato
Cyclohexadienyl derivatives of (η^6-arene)(hydrido*tris*(pyrazolyl)-borato)ruthenium(II) compounds (S. Bhambri and D.A. Tocher), 291
Tungsten
Trinuclear heterometallic clusters with bridging disulfide and sulfide ligands $[(\mu_2\text{-}S_2)(Cp^*Ru)_2(\mu_3\text{-}S)(\mu_2\text{-}S)_2MS]$ derived from diruthenium complex $[Cp^*RuCl(\mu_2\text{-}Cl)_2RuCp^*Cl]$ and $[MS_4]^{2-}$ (M = W, Mo; $Cp^* = \eta^5\text{-}C_5Me_5$) (Y. Mizobe, M. Hosomizu, Y. Kubota and M. Hidai), 179
Uranium
Triscyclopentadienyl uranium thiolates and selenolates (P.C. Leverd, M. Ephritikhine, M. Lance, J. Vigner and M. Nierlich), 229
X-ray structure
Trinuclear heterometallic clusters with bridging disulfide and sulfide ligands $[(\mu_2\text{-}S_2)(Cp^*Ru)_2(\mu_3\text{-}S)(\mu_2\text{-}S)_2MS]$ derived from diruthenium complex $[Cp^*RuCl(\mu_2\text{-}Cl)_2RuCp^*Cl]$ and $[MS_4]^{2-}$ (M = W, Mo; $Cp^* = \eta^5\text{-}C_5Me_5$) (Y. Mizobe, M. Hosomizu, Y. Kubota and M. Hidai), 179
X-ray structure analysis
Allenyliden-Komplexe als Synthone zur Darstellung von Hydroxylaminocarben- und Isoxazolidinyliden-Komplexen (G. Roth und H. Fischer), 125
X-ray structure determination
Palladium(II) complexes of chiral tridentate nitrogen pybox ligands (R. Nesper, P. Pregosin, K. Püntener, M. Wörle and A. Albinati), 85
Ytterbium
Studies on organolanthanide complexes. LVIII. Syntheses of 1,1'-(3-oxa-pentamethylene)dicyclopentadienyl divalent organolanthanides (Ln = Sm, Yb) and X-ray molecular structure of $O(CH_2CH_2C_5H_4)_2Yb(DME)$ (C. Qian, C. Zhu, Y. Lin and Y. Xing), 41
Zirconium
New classes of zerovalent zirconium carbonyls and related species. Structural characterizations of $[Zr(CO)_5(SnMe_3)_2]^{2-}$ and $[Zr(CO)_4(dppe)SnMe_3]^-$, dppe = $Ph_2PCH_2CH_2PPh_2$ (J.E. Ellis, P. Yuen and M. Jang), 283